Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S18 4	249	communicat\$4 near15 (client near3 processes) same (server near3 processes)and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 17:43
S18 5	4	communicat\$4 near15 (client near3 processes) same (server near3 processes) and processes near15 (read\$3 or enqueu\$4) near15 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 17:47
S18 6		(processes or servers) near15 (writ\$3 or enqueu\$4) near15 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) same (read\$4 or dequeu\$4) and (@ad<"20010125" or @rlad<"20010125")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 17:50
S18 7	6	(processes or servers) near15 (writ\$3 or enqueu\$4) near15 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) same (read\$4 or dequeu\$4) and (@ad<"20010125" or @rlad<"20010125")and (processes or servers) near15 assign\$4 near15 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 17:56
S18 8	0	(writ\$3 or enqueu\$4) near10 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) same prox\$3 near10 (read\$4 or dequeu\$4) and (@ad<"20010125" or @rlad<"20010125")and (processes or servers) near15 assign\$4 near15 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 17:57

				00	055	2006/12/12 12 25
S18 9		(writ\$3 or enqueu\$4) near10 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) same prox\$3 near10 (read\$4 or dequeu\$4) and (@ad<"20010125" or @rlad<"20010125")and assign\$4 near15 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:00
S19 0	5	(writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) near15 prox\$3 and (@ad<"20010125" or @rlad<"20010125")and assign\$4 near15 (queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:01
S19 1		(writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) near15 prox\$3 and (@ad<"20010125" or @rlad<"20010125")and assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:01
S19 2	87	(writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and prox\$3 and (@ad<"20010125" or @rlad<"20010125")and assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:02
S19 3	87	(writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and prox\$3 and (@ad<"20010125" or @rlad<"20010125")and assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:02

S19 4	4	(process\$2 or server\$1) near10 (writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and prox\$3 and (@ad<"20010125" or @rlad<"20010125")and (process\$1 or server\$1) near10 assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:05
S19 5	148	(process\$2 or server\$1) near10 (writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (@ad<"20010125" or @rlad<"20010125")and (process\$1 or server\$1) near10 assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:10
S19 6	15	(process\$2 or server\$1) near10 (writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (@ad<"20010125" or @rlad<"20010125")and (process\$1 or server\$1) near10 assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (process\$1 or server\$1) near10 shar\$4 near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:24
S19 7	82	(writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (@ad<"20010125" or @rlad<"20010125")and assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (process\$1 or server\$1) near10 shar\$4 near5 (memory or queue\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:25

S19 8	25	(writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (@ad<"20010125" or @rlad<"20010125")and	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:26
		assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (process\$1 or server\$1) near10 shar\$4 near5 (memory or queue\$1)and shar\$4 near5 (memory or queue\$1) near10 (divid\$4 or partition\$4)				
S19 9	23	(writ\$3 or enqueu\$4 or read\$4 or dequeu\$4) near10 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (@ad<"20010125" or @rlad<"20010125")and assign\$4 near15 (partition\$1 or queue\$2 or slot\$1 or region\$1 or portion\$1) near5 (memory or queue\$1) and (process\$1 or server\$1) near10 shar\$4 near5 (memory or queue\$1) and shar\$4 near5 (memory or queue\$1) near10 (divid\$4 or partition\$4) not \$196	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/12 18:26

Page 4